

# 201.CS2424-8

## CABLE DE CARGA

T2 32A 3P - T2 32A 3P 5G6+1x0,5mm<sup>2</sup> 7,5m



Product Approvals

| TECHDATA               |                              | STANDARDS AND LAWS                |   |
|------------------------|------------------------------|-----------------------------------|---|
| Tipo de producto       | CABLE DE CARGA               | EN 62196-1 (2014)                 | [European Standard] Plugs, socket-outlets and vehicle couplers. Conductive charging of electric vehicles. Part 1: Charging of electric vehicles up to 250 A a.c. and 400 A d.c.                         |
| Serie comercial        | Serie LIBERA                 |                                   |   |
| Descripción            | CABLE DE CARGA               | EN 62196-2 (2017)                 | [European Standard] Plugs, socket-outlets and vehicle couplers. Conductive charging of electric vehicles. Part 2: Dimensional interchangeability requirements for a.c. pin and contact-tube accessories |
| Grado de protección IP | IP44                         |                                   |   |
| Intensidad nominal     | 32A                          | EN 50620 (2017)                   | [European Standard] Electric cables - Charging cables for electric vehicles   |
| Material               | TERMOPLÁSTICO                | DIRECTIVE LOW VOLTAGE 2014/35 /UE | [European Directives] Low Voltage Directive   |
| Notas                  | T2 32A 3P - T2 32A 3P        |                                   |   |
| EV standard            | Type 2 3P+N+T 32A 400V~ 22kW |                                   |   |
| EV plug                | Type 2 3P+N+E 32A 400V~      |                                   |   |
| EV connector           | Type 2 3P+N+E 32A 400V~      |                                   |   |
| Sección del cable      | 5G6+1x0,5mm <sup>2</sup>     |                                   |   |
| Longitud cable         | 7,5m                         |                                   |   |